

AND FUEL TANK ARE STEEL CLAD AND READY FOR ACTION.

B: BILSTEIN® GAS SHOCK ABSORBERS ASK NO QUESTIONS. THEY SIMPLY DO THEIR JOB. AND THEY DO IT RIGHT.


C: SERIOUS OFF-ROADERS KNOW THE TORSEN® REAR DIFFERENTIAL IS THE TOOL THAT'S GOING TO GET YOU IN AND OUT OF HEAVY-DUTY TERRAIN, NO PROBLEM.



THE RANGER FX4 LEVEL II CAN SNIFF OUT THE GRITTIEST, UGLIEST, MOST UNACCOMMODATING ROAD THERE IS AND TURN IT INTO A PLEASURE CRUISE. HEAVY-DUTY EQUIPMENT LIKE A MIGHTY 4.0L V6 WITH LOTS OF LOW-END TORQUE AND A MANUAL TRANSFER CASE MAKE TAMING THE ROUGH AND WILD NOT ONLY POSSIBLE, BUT A TOTAL BLAST. IT'S EQUIPPED FOR IT WITH BF GOODRICH® KO'S, RANGER'S TOUGHEST OFF-ROAD TIRES MOUNTED ON FORGED ALCOA® ALUMINUM WHEELS. DIG IN AND GRIP HARD. GO AHEAD, THROW A LITTLE SAND AROUND. THAT'S WHY YOU'RE OUT THERE, ISN'T IT?

FX4 OFF-ROAD

PANGER PANGER



A: YOU'RE GONNA BE LOADING UP SOME HEFTY STUFF. THESE HEAVY-DUTY TIE-DOWN HOOKS WILL HELP KEEP IT ALL IN CHECK.

B: RANGER'S SHIFT-ON-THE-FLY 4X4 SYSTEM ALLOWS YOU TO GO FROM ASPHALT TO ROUGH TERRAIN AT THE FLIP OF A SWITCH.

C: HEART-THUMPIN' TUNES FROM THE STANDARD MACH® AUDIO SYSTEM WITH AM/FM STEREO/MP3/CD PLAYER KICK OUT CLEAR AND STRONG.



SOMETIMES THE STREETS GET TOO TIGHT AND YOU'VE GOTTA BREAK FREE. THAT'S WHAT RANGER FX4 OFF-ROAD WAS BUILT FOR. DEEP INSIDE ALL THAT LOOKIN'-GOOD CITY STYLE IS AN OFF-ROADER WITH TEETH TO GET YOU GONE WHEN THE NEED STRIKES. FROM THE KICKIN' MACH MP3/CD PLAYER TO THOSE 16" 5-SPOKE CAST ALUMINUM WHEELS, IT'S READY TO ESCAPE. AND IN ROCKS, MUD AND SNOW, THE HEARTY ALL-TERRAIN TREADS GET DOWN TO BUSINESS. SO WHEN IT'S TIME TO SCALE MOUNTAINS, RANGER FX4 OFF-ROAD KNOWS JUST WHAT TO DO.

PAN GER



A: NO FUN-FILLED NIGHT IS COMPLETE WITHOUT JAMS, LOTS OF 'EM. SO THE 6-DISC IN-DASH CD IS STANDARD ON EDGE PLUS PACKAGES.

B: THEY GET YOU WHERE YOU'RE GOING, AND LOOK GOOD ALONG THE WAY. AWESOME 15" SILVER-ALUMINUM WHEELS ARE INCLUDED IN THE 4×2 EDGE PLUS PACKAGES.

C: THE STANDARD SECURILOCK™ PASSIVE ANTI-THEFT SYSTEM USES A DIGITALLY CODED KEY TO ENFORCE A SIMPLE RULE: NO KEY, NO START, NO WAY.



FORD TOUGHNESS COMBINES WITH EXCELLENT DESIGN TO GIVE YOU A RIDE THAT IS TOTAL STYLE – RANGER EDGE. WITH THE POWERFUL V6 REVVIN', AND THE AVAILABLE MP3/CD PLAYER KICKIN' BASS HARD AND CLEAR, YOU'RE TURNING HEADS AT EVERY CORNER. A RAISED POWER DOME HOOD LINE AND PAINTED-PLATINUM HONEYCOMB GRILLE MAKE A LOUD STATEMENT. AND BODY-COLOR WHEEL-LIP MOLDINGS AND COLOR-KEYED BUMPERS ARE THE EXCLAMATION POINTS. NO LONGER WILL YOU SIMPLY GET FROM PLACE TO PLACE. IN THE RANGER EDGE SUPERCAB, YOU'LL ARRIVE IN STYLE.

*Maximum capabilities shown are for properly equipped vehicles with required equipment and a 150-lb. driver. Weight of additional options, equipment, passengers and cargo must be deducted from this weight. For additional information, see your Ford Dealer.









A: THE AVAILABLE 4.0L V6 ENGINE KICKS OUT A MIGHTY 207 HP AND SUPPLIES 238 LB.-FT. OF HARD-WORKING TORQUE AT THE HIGH END OF THE XLT LINE.

- B: THE 4-VALVE 2.3L DOHC ENGINE LAUNCHES THE RANGER XL WITH AN AUTHORITATIVE 154 LB.-FT. OF TORQUE.
- C: THE OPTIONAL CLASS III HITCH RECEIVER ALLOWS YOU TO PULL MORE THAN 5000 LBS. WHEN PROPERLY EQUIPPED.

AT THE END OF THE DAY, THE RANGER XLT IS ALL ABOUT PLAY. AND WHILE YOU'RE WAITING FOR THE DAY'S LABOR TO END, AN OPTIONAL 6-DISC IN-DASH CD PLAYER SUPPLIES PLENTY OF CHOICE TUNES TO KEEP YOU GOING. POWER WINDOWS, LOCKS AND MIRRORS, A REMOTE KEYLESS ENTRY SYSTEM, AND A LEATHER-WRAPPED STEERING WHEEL ARE THE COOL OPTIONS THAT MAKE YOU FEEL LIKE YOUR HARD WORK IS ALL WORTH IT.



MAXIMUM PAYLOAD CAPABILITIES*

REGULAR CAB - 4X2 1640 LBS. REGULAR CAB – 4X4 1540 LBS. SUPERCAB – 4X2 1660 LBS. SUPERCAB – 4X4 1560 LBS.



REGULAR CAB – 4X2 4100 LBS.

REGULAR CAB - 4X4 3820 LBS. MAXIMUM TOWING CAPABILITIES*

SUPERCAB - 4X2 5860 LBS. SUPERCAB – 4X4 5580 LBS.

XLT CONTROL PANEL

PART OF THE RANGER XLT'S VERSATILITY COMES FROM A FULL-FUNC-TIONING CONTROL PANEL THAT FEATURES HANDY, WELL-PLACED CONTROLS, DRIVER AND RIGHT-FRONT PASSENGER AIRBAGS, A TRIP ODOMETER, AND WARNING INDICATORS SUCH AS CHECK ENGINE, CHECK GAUGES AND BRAKE SYSTEM LIGHTS.

*ALWAYS WEAR YOUR SAFETY BELT AND DEACTIVATE THE PASSENGER AIRBAG WHEN USING A REAR-FACING CHILD SAFETY SEAT.










INTERIORS

- A: RANGER'S OPTIONAL SPORT BUCKET FRONT SEATS ARE COVERED IN CLOTH AND BOLSTERED TO ENCOURAGE AN ACTIVE LIFESTYLE,
- B: OFF-ROADERS WHO CRAVE THE CONTROL A MANUAL TRANSFER CASE OFFERS SHOULD DO THEIR ADVENTURING IN THE FX4 LEVEL II. ALSO FOUND IN THIS SPACIOUS CAB ARE SPORT BUCKET SEATS, A LEATHER-WRAPPED STEERING WHEEL, SPEED CONTROL, AND A POWER PACKAGE THAT INCLUDES POWER WINDOWS, LOCKS, MIRRORS AND REMOTE KEYLESS ENTRY.
- C: ANY RANGER DRIVER CAN APPRECIATE THIS OPTION. TILT STEERING WITH SPEED CONTROL. SET 'EM HOW YOU LIKE 'EM AND ROLL.













LIKE TO SHAKE THINGS UP? RANGER TREMOR WILL SHAKE YOUR FILLINGS OUT WITH 485 WATTS OF PREMIUM PIONEER® AUDIOPHILE SOUND, 10" DOWN-MOUNTED SUB-WOOFER, UNIQUE GAUGES, AND LOTS OF OTHER FEATURES TO ANNOUNCE YOUR ARRIVAL.



INTERIOR OPTIONS


A: RANGER EDGE AND FX4 OFF-ROAD WILL RULE THE ROAD WITH THE MACH® AUDIO SYSTEM WITH AM/FM STEREO/MP3/CD PLAYER. QUALITY AND DEFINITION OF SOUND THAT IS ABSOLUTELY INCREDIBLE. AVAILABLE ON SOME RANGER MODELS.

B: WANT MORE AUDIBLE OPTIONS? SELECT DUAL MEDIA, AND AM/FM, CD OR CASSETTE ARE AT YOUR

C: ADD THE AM/FM STEREO/CD PLAYER TO RANGER XL AND SUDDENLY SOUND VALUES GET RICHER, COLORS GET BRIGHTER, AND DRIVING IS MORE FUN.

D: FLIP OPEN RANGER'S CENTER ARMREST CONSOLE AND YOU'LL FIND AN IMPRESSIVELY ROOMY STORAGE COMPARTMENT LARGE ENOUGH FOR TRAVEL BOOKS, TAPES AND CD'S.

SPECIFICATIONS



	Regular Cab	SuperCab	SuperCab
Exterior	4x2/4x4	4x2/4x4	FX4 Level II
A. Overall length	ina in i	, , , , , , , , , , , , , , , , , , ,	77.7 20707 11
6' box	187.5"	201.7"	201.7"
7' box	199.5"		_
B. Wheelbase			
6' box	111.4"/111.6"	125.7"/125.9"	125.9"
7' box	117.4"/117.6"	_	_
C. Overhang – rear			
6' box	42.8"/42.6"	42.7"/42.5"	42.5"
7' box	48.8"/48.6"	_	_
D. Overhang – front	33.3"	33.3"	33.3"
E. Overall width	69.4"/70.4"	69.4"/70.4"	70.4"
F. Height	64.9"/67.9"	64.8"/67.8"	69.0"
G. Ground clearance	10.0"	9.8"/10.1"	9.0"
(rear axle)			
H. Ground to open	28.5"/31.6"	27.9"/31.3"	33.0"
tailgate height			
Ramp breakover angle	21.6°/20.9°	18.7*/19.4*	21.6°
J. Angle of departure	25.4*/28.5*	24.6*/29.3*	23.2
K. Angle of approach	23.3'/23.7'	23.7*/25.8*	31.0°
Interior			
1st row			
Head room	39.3"	39.3"	39.3"
Shoulder room	53.8"	53.8"	53.8"
Hip room	52.7"	52.7"	52.7"
Leg room	42.4"	42.4"	42.4"
2nd row			
Head room	_	33.3"	33.3"
Shoulder room	_	15.0"	15.0"
Hip room	_	19.6"	19.6"
Leg room	_	40.4"	40.4"
Cargo Area	6'/7'/Flareside	6'/Flareside	6'
Volume (cu. ft.)	37.3/43.4/35.8	37.3/35.8	37.3
Length at floor	72.2"/84.7"/72.2"	72.2"	72.2"
Width at wheelhouse	40.4"	40.4"	40.4"
Width at top of box	54.2"/54.2"/45.8"	54.2"/45.8"	54.2"
Height	16.4"/16.4"/16.7"	16.4"/16.7"	16.4"

CTANDADD CEATURES

STANDA	ARD FEATURES
Safety/S	Security
	* – Driver and right-front passenger
Belt-Mir	nder™ safety belt reminder
Brake/s	hift interlock
Passeng	ger airbag deactivation switch
Safety b	elt energy management retractors – Front outboard positions
Safety b	pelt pretensioners – Front outboard
SecuriLo	ock [™] – Passive anti-theft system
Side int	rusion door beams
Mechan	nical
)-mile tune-up interval**
	anti-lock braking system (ABS)
	saver – Deactivates interior lights after 20 minutes
	n-frame construction
	nic 2-speed shift-on-the-fly 4-wheel-drive system
	ndels only)
	nic brake force distribution (EBD)
	ight aluminum hood
	ront disc/rear drum brakes
	ack-and-pinion steering
	elease tailgate
	er bar – Front
Stylesid	
	sion – Front: independent Short- and Long-Arm;
	stage leaf springs
Interior	
	ok – In rear of cab
	nsole – Includes 2 cupholders
	ome light
	oint – 12-volt
	er belt height adjusters – Front outboard positions
Tachom	eter
Exterior	r
2-door F	Regular Cab
Cargo ti	ie-down hooks – 4 in cargo box
Dual sic	de-view mirrors
Solar tir	nted glass
	ks – Front (4x4 models only)
Trailer t	ow – Class II receiver with 4-pin connector
Windshi	ield wipers – Variable-intermittent
	· · · · · · · · · · · · · · · · · · ·

*Always wear your safety belt and deactivate the passenger airbag when using a rear-facing child safety seat. **Under normal driving conditions with regular fluid and filter changes.

MODEL-SPECIFIC FEATURES/OPTIONS

					XL 4x2				
	Edge 4x2								
	Edge 4x4								
	XLT 4x2								
		XLT 4x4							
					Mechanical				
	_	_		_	2.3L DOHC 16-valve I4 engine				
					3.0L OHV 12-valve V6 engine				
_					4.0L SOHC 12-valve V6 engine				
					5-speed manual transmission				
					5-speed automatic transmission				
	_	_	_	_	15" argent steel wheels (4)				
		_		_	15" 7-spoke silver styled-steel wheels (4)				
_		_	_	_	15" silver-aluminum wheels (4)				
_	_	_		_	15" 7-spoke chrome styled-steel wheels (4)				
_	_		_		16" cast aluminum wheels (4)				
_	_		_		16" 5-spoke cast aluminum wheels (4)				
	_	_		_	Spare – Compact				
					Spare – Limited-service				
	_	_		_	P225/70R15 all-season BSW tires (4)				
		_	—	—	P235/75R15 all-terrain OWL tires (4)				
_	_		—		P245/75R16 all-terrain OWL tires (4)				
_		_		_	Axle ratio – 3.55:1				
	_	_		_	Axle ratio – 3.73:1				
					Axle ratio – 4.10:1				
					Limited-slip rear axle				
					Seating				
	_	_	_	_	Front 60/40 vinyl split-bench seat				
					Front 60/40 cloth split-bench seat				
_					Front cloth sport bucket seats				
					Rear vinyl jump seats (SuperCab models only – standard 4-door)				
					Interior				
					Air conditioning [†]				
	_	_	_	_	AM/FM stereo with clock and 2 speakers				
					AM/FM stereo with CD, clock and 4 speakers				
	_	_			AM/FM stereo with CD/cassette dual media, clock and 4 speakers				
_					MACH® AM/FM stereo with MP3/CD, clock and 4 speakers				
					AM/FM stereo with 6-disc in-dash CD player, clock and 4 speakers				
					Assist handle – Driver/passenger side				
					Black vinyl floor covering (textured on Edge)				
	_	_	_		Carpeted floor covering				
			_		Door trim panels with map pockets				
		_			Floor mats – Color-keyed (front only)				
					Leather-wrapped steering wheel Power Equipment Group – Includes power windows, power door				
					locks and remote keyless entry system				
					Tilt steering wheel with speed control				
	4	4		_	·				
				_	Exterior				
					2-door SuperCab				
_					4-door SuperCab				

■ Standard ✓ Select Availability □ Optional — Not Available

 $^{\dagger}Required$ with automatic transmission, optional with manual transmission on XL 4x2. Discounted equipment on all other models.

Competitive comparisons based on publicly available information and Ford certification data at time of printing. Some features discussed may be optional. Vehicles shown may contain optional equipment. Features shown may be offered only in combination with other options or subject to additional ordering requirements or limitations. Following publication of the catalog, certain changes in standard equipment, options and the like, or product delays, may have occurred which would not be included in these pages. Your Ford Dealer is the best source for up-to-date information. Ford Division reserves the right to change product specifications at any time without incurring obligations.



SPECIFICATIONS

MODEL-SPECIFIC FEATURES/OPTIONS (CONTINUED)

	XL 4x2									
	Edge 4x2									
	Edge 4x4									
					XLT 4x2					
					XLT 4x4					
				Exterior (continued)						
	_	_			Bumpers – Painted					
					Bumpers – Color-keyed					
_					Bumpers – Chrome (included in XLT 4x2 Appearance Package)					
					Bedliner – Under rail					
_	_	_			Bright Appearance Package – Includes chrome bed rails, step bars and					
					chrome-tip exhaust (not available with Flareside or hard tonneau cover)					
					Cargo box – 6'					
	—	—		_	Cargo box – 7'					
_					Cargo box hard tonneau cover with over-the-rail bedliner (not available					
					with Flareside box, under-rail bedliner or Bright Appearance Package)					
—					Cargo cage bed extender (not available with hard tonneau cover,					
					Flareside box or bedliner)					
_		_	_	_	Edge Plus Package – Includes P235/75R15 all-terrain OWL tires,					
					15" silver machined-aluminum wheels and AM/FM stereo with 6-disc					
					in-dash CD player, clock and 4 speakers					
					Flareside box					
					Fog lamps Grille – Color-keyed surround and painted-platinum bars					
					Grille – Color-keyed surround and painted-platinum honeycomb					
		_			Grille – Color-keyed surround and chrome bars					
_ _ _										
					Privacy glass – Rear					
				ī	Side step bars					
					Sliding rear window					
_	_		_		Tow hooks – Front					
					Trailer tow – Class III receiver					
_	_	_		_	XLT Appearance Package – Includes P225/70R15 all-season OWL tires,					
					15" 7-spoke chrome styled-steel wheels, chrome bumpers, chrome bars					
					grille insert					
_	_	_	_		XLT 4x4 Value Package – Includes 16" 5-spoke painted cast aluminum					
					wheels, front tow hooks, black textured vinyl floor covering, power dome					
					hood, chrome bumper, body-color grille with honeycomb insert					
					(available on 2-door SuperCab only)					
			Tren	nor 4x	2					
			FX4		164					
			FX4	Level	II 4x4					
			Mec	hanic						
	_	_			12-valve V6 engine					
			4.01	SOHO	2 12-valve V6 engine					
_					nanual transmission					
					utomatic transmission					
_	_			15" 8-hole Alcoa® forged-aluminum wheels (4)						
	_	_			ke machined-aluminum wheels (4)					
_		_			ke cast aluminum wheels (4)					
	_	_			16 all-season OWL tires (4)					
_		_	P245/75R16 all-terrain OWL tires (4)							
_	_				BF Goodrich® KO all-terrain tires (4)					
					mited-service					
					<u>- 4.10:1</u>					
_	_		Bils	tein® s	shock absorbers					


			Tremor 4x2
			FX4 4x4
			FX4 Level II 4x4
			Mechanical (continued)
			Limited-slip rear axle
			Limited slip rear axle – Torsen®
			Skid plates
	_	_	'
_	_		Seating
		_	Front 60/40 cloth split-bench seat
	_		Front cloth sport bucket seats
_			Rear vinyl jump seats (SuperCab models only)
			Interior
			Air conditioning*
_	_		AM/FM stereo with CD/cassette dual media, clock and 4 speakers
_		_	MACH® AM/FM stereo with MP3/CD, clock and 4 speakers
_		_	AM/FM stereo with 6-disc in-dash CD player, clock and 4 speakers
	_	_	Tremor AM/FM Audiophile Sound System powered by Pioneer® – Includes
			CD/cassette dual media with clock, enclosed high-output amplifier with
			10" sub-woofer, four 6" x 8" coaxial speakers, higher output alternator, and
			485 peak watts of maximum power
			Assist handle – Driver/passenger side
	_	_	Black vinyl floor covering – Textured
_			Carpeted floor covering
			Door trim panels with map pockets
_		_	Floor mats – Color-keyed (front only)
_	_		Floor mats – Vinyl all-weather spill-containing
_			Leather-wrapped steering wheel
			Power Equipment Group – Includes power windows, power door locks
			and remote keyless entry system
			Tilt steering wheel with speed control
			Exterior
		_	2-door SuperCab
Ħ			4-door SuperCab
i	_	_	Bumpers – Color-keyed
_			Bumpers – Chrome
			Bedliner – Under rail
			Cargo box – 6'
	ī		Cargo box hard tonneau cover with over-the-rail bedliner (not available with
			Flareside box, under-rail bedliner or Bright Appearance Package)
П			Cargo cage bed extender (not available with hard tonneau cover, Flareside box
			or bedliner)
П	П		Flareside box
		T	
			Fog lamps
		_	Grille – Painted-platinum honeycomb Grille – Black
	_		
			Mud flaps – Rear
			Privacy glass – Rear
		_	Side step bars
			Sliding rear window
_		_	Tow hooks – Front, black
_	_		Tow hooks – Front, stainless steel
			Trailer tow – Class III receiver




REGULAR CAB STYLESIDE



REGULAR CAB FLARESIDE



SUPERCAB STYLESIDE



SUPERCAB FLARESIDE

 * Required with automatic transmission, optional with manual transmission on XL 4x2. Discounted equipment on all other models.

Alcoa" is a registered trademark of Alcoa, Inc. Bilstein" is a registered trademark of Krupp Bilstein of America. BF Goodrich" is a registered trademark of Michelin. Ploneer" is a registered trademark of Ploneer North America, Inc. Torsen" is a registered trademark of Zexel Torsen, Inc.

PAINT COLORS

INTERIOR/EXTERIOR COMBINATIONS

			Medium Pebble
			Dark Graphite
			Ebony/Red
			Ebony/Blue
			VII.
	_		XL
_			Oxford White
+	_		Arizona Beige Metallic
	_		Bright Red
			Silver Frost Metallic
			Black
			Edge
			Oxford White
			Bright Red
			Sonic Blue Metallic
			Black
			Tremor
			Bright Red
			Sonic Blue Metallic
			Black
			XLT and FX4 Off-Road
			Oxford White
-	_		Arizona Beige Metallic
			Bright Red
			Toreador Red Metallic
-	_		Dark Highland Green Metallic
_			Deep Wedgewood Blue Metallic
			Sonic Blue Metallic
			Silver Frost Metallic
			Black
	_		J.a.s.
			FX4 Level II
			Oxford White
			Bright Red
			Sonic Blue Metallic
			Silver Frost Metallic
			Black



Ford uses clearcoat paint for beauty and protection. Colors shown are representative only. See your dealer for actual paint/trim options.


TRIM COLORS



Medium Pebble Cloth



Medium Pebble Vinyl



Dark Graphite Cloth



Dark Graphite Vinyl



Ebony/Red Cloth



Ebony/Blue Cloth

WHEELS



15" Argent Steel Wheel Standard on XL



15" 7-Spoke Silver Styled-Steel Wheel Standard on Edge and XLT 4x2



15" 7-Spoke Chrome Styled-Steel Wheel Available on XLT 4x2 Appearance Package



15" Silver-Aluminum Wheel Available on Edge Plus 4x2



16" Cast Aluminum Wheel Included on Edge Standard and XLT 4x4s



16" 5-Spoke Cast Aluminum Wheel Standard on selected Edge and XLT 4x4s



15" 8-Hole Forged-Aluminum Wheel Standard on FX4 Level II



16" 5-Spoke Machined-Aluminum Wheel Standard on Tremor

ENGINES

HORSEPOWER AND TORQUE

2.3L DOHC 16-Valve I4

Horsepower: 143 hp @ 5250 rpm Torque: 154 lb.-ft. @ 3750 rpm

3.0L OHV 12-Valve V6

Horsepower: 154 hp @ 5200 rpm Torque: 180 lb.-ft. @ 3900 rpm

4.0L SOHC 12-Valve V6

Horsepower: 207 hp @ 5250 rpm Torque: 238 lb.-ft. @ 3000 rpm

Maximum Loaded Trailer Weight (lbs.) – Automatic Transmission

	Axle	GCWR	Regula	ar Cab	SuperCab	
Engine	Ratio	(lbs.)	4x2	4x4	4x2 ·	4x4
2.3L DOHC 14	4.10	5500	2240	_	_	_
3.0L OHV V6	3.73	7500	4100	_	3940	_
	4.10¹	7500	4000	_	3800¹	_
	4.10	7500	_	3820	_	_
4.0L SOHC V6	3.55	9500	_	_	5860	_
	3.55¹	9500	_	_	5740	_
	3.73/4.10	9500	_	_	_	5580²

Maximum Loaded Trailer Weight (lbs.) – Manual Transmission

	Axle	GCWR	Regul	ar Cab	SuperCab	
Engine	Ratio	(lbs.)	4x2 4x4		4x2 4x4	
2.3L DOHC 14	3.73	4800	1640	_	_	_
3.0L OHV V6	3.73	6000	2640	_	2480	_
	4.10 ¹	6000	2540	_	2340	_
	4.10	6000	_	2360	_	_
4.0L SOHC V6	3.55¹	7000	_	_	3280	_
	4.10	7000	_	_	_	3120³

¹Ranger Edge only. ²5160 lbs. with FX Level II. ³2700 lbs. with FX Level II.